

Einböck

When weeding
is joy!







































THE EINBÖCK WEEDING TECHNOLOGY AN OVERVIEW



WWW.EINBOECK.EU

The EINBÖCK WEEDING TECHNOLOGY an overview

	SPORTSTAR	GRASS-MANAGER-PRO PNEUMATICSTAR-PRO	AEROSTAR-CLASSIC
			GRASS-MANAGER PNEUMATICSTAR
			
			
			
	CULTIVATION FORM drill seeded crops row-crops hillcrops bedcrops grassland	CULTIVATION FORM drill seeded crops row-crops hillcrops bedcrops grassland	CULTIVATION FORM drill seeded crops row-crops hillcrops bedcrops grassland
	CROPS cereals corn soybeans pumpkins potatoes turnips peas sunflowers special crops & herbs vegetables permanent grassland lawns	CROPS cereals corn soybeans pumpkins potatoes turnips peas sunflowers special crops & herbs vegetables permanent grassland lawns	CROPS cereals corn soybeans pumpkins potatoes turnips peas sunflowers special crops & herbs vegetables permanent grassland lawns
	SOIL light medium heavy stony	SOIL light medium heavy stony	SOIL light medium heavy stony
	TERRAIN 	TERRAIN 	TERRAIN 
	WORKING WIDTH 1.5 - 6 m (4.9 - 19.70 ft.)	WORKING WIDTH 3 - 12 m (9.80 - 39.40 ft.)	WORKING WIDTH 1.5 - 24 m (4.90 - 78.70 ft.)
	FRAME CLEARANCE up to 49 cm (19.30") (= standard machine without any additional options)	FRAME CLEARANCE up to 49 cm (19.30") (= standard machine without any additional options)	FRAME CLEARANCE up to 49 cm (19.30") (= standard machine without any additional options)
	LINE SPACING 1.3 cm (0.5") line spacing direct spring loaded 6.5 mm (0.25") tine 6-row	LINE SPACING 2.5 cm (0.98") line spacing direct spring loaded 8/10 mm (0.31/0.39") tines 6-row	LINE SPACING 2.5 cm (0.98") line spacing direct spring loaded 7/8 mm (0.28/0.31") tine 6-row
	POWER REQUIREMENT ca. 6-8 HP/m	POWER REQUIREMENT ca. 8-10 HP/m	POWER REQUIREMENT ca. 8 HP/m
	DRIVING SPEED UP TO 	DRIVING SPEED UP TO 	DRIVING SPEED UP TO 
	AGGRESSIVITY UP TO 	AGGRESSIVITY UP TO 	AGGRESSIVITY UP TO 
	PRECISION/SENSITIVITY UP TO 	PRECISION/SENSITIVITY UP TO 	PRECISION/SENSITIVITY UP TO 
	PRICE 	PRICE 	PRICE 
	EQUIPMENT seeder wheels at the rear of the machine front levelling plate	EQUIPMENT seeder wheels at the rear of the machine front levelling plate	EQUIPMENT seeder wheels at the rear of the machine front levelling plate
	SPECIAL FEATURE suitable for lawn- as well as sports & golf course care „The sporty“	SPECIAL FEATURE triangular levelling plate & hydr. pressure adjustment via parallelogram „The grassland-specialist“	SPECIAL FEATURE lightweight, inexpensive „all-rounder“ field- and grassland weeder „The classic“

AEROSTAR-EXACT	AEROSTAR-ROTATION	AEROSTAR-FUSION	
			
			
CULTIVATION FORM drill seeded crops row-crops hillcrops bedcrops grassland	CULTIVATION FORM drill seeded crops row-crops hillcrops bedcrops grassland	CULTIVATION FORM drill seeded crops row-crops hillcrops bedcrops grassland	
CROPS cereals corn soybeans pumpkins potatoes turnips peas sunflowers special crops & herbs vegetables permanent grassland lawns	CROPS cereals corn soybeans pumpkins potatoes turnips peas sunflowers special crops & herbs vegetables permanent grassland lawns	CROPS cereals corn soybeans pumpkins potatoes turnips peas sunflowers special crops & herbs vegetables permanent grassland lawns	
SOIL light medium heavy stony	SOIL light medium heavy stony	SOIL light medium heavy stony	
TERRAIN 	TERRAIN 	TERRAIN 	
WORKING WIDTH 3 - 18 m (9.80 - 59.10 ft.)	WORKING WIDTH 1.5 - 18 m (4.90 - 59.10 ft.)	WORKING WIDTH 6.2 - 12.3 m (20.30 - 40.35 ft.)	
FRAME CLEARANCE up to 60 cm (23.60") (= standard machine without any additional options)	FRAME CLEARANCE up to 35 cm (13.80") (= standard machine without any additional options)	FRAME CLEARANCE up to 53 cm (20.90") (= standard machine without any additional options)	
LINE SPACING 2.5 cm (0.98") line spacing direct spring loaded 7 mm (0.28") tine 6-row	LINE SPACING 15 cm (5.90") line spacing indirect spring loaded disc with 6,5 mm (0.26") tines, 1-row	LINE SPACING 2.8 cm (1.10") line spacing indirect spring loaded 7 mm (0.28") tine 6-row	
POWER REQUIREMENT ca. 8-10 HP/m	POWER REQUIREMENT ca. 8-10 HP/m	POWER REQUIREMENT ca. 10-12 HP/m	
DRIVING SPEED UP TO 	DRIVING SPEED UP TO 	DRIVING SPEED UP TO 	
AGGRESSIVITY UP TO 	AGGRESSIVITY UP TO 	AGGRESSIVITY UP TO 	
PRECISION/SENSITIVITY UP TO 	PRECISION/SENSITIVITY UP TO 	PRECISION/SENSITIVITY UP TO 	
PRICE 	PRICE 	PRICE 	
EQUIPMENT seeder wheels at the rear of the machine front levelling plate	EQUIPMENT seeder wheels at the rear of the machine front levelling plate	EQUIPMENT seeder wheels at the rear of the machine front levelling plate	
SPECIAL FEATURE very user friendly good soil adaption and high sensivity „The weeding all-rounder“	SPECIAL FEATURE weeding in organic matter & difficult (hard) soil conditions clogging-free crust breaking „The specialist“	SPECIAL FEATURE optimal soil adaption and highest sensivity perfection in all areas „The premium tined weeder“	



WWW.EINBOECK.EU

Related brochures regarding „organic farming & mechanical weed control“:



WEEDING TECHNOLOGY

- » **Tined weeder**
AEROSTAR-CLASSIC
- » **Precision tined weeder**
AEROSTAR-EXACT
- » **Rotative weeder**
AEROSTAR-ROTATION



ORGANIC FARMING

- » Guide to mechanical weed control
- » Tips and interesting facts about weeding and hoeing technology
- » With FUSION FARMING to success

GRASSLAND CARE

- » **Grassland weeder**
GRASS-MANAGER(-PRO)
- » **Grassland seeder**
PNEUMATICSTAR(-PRO)
- » **Sports field weeder**
SPORTSTAR



THE GRASSLAND CARE HANDBOOK

- » Grassland overseeding
- » Grassland restoration
- » Grassland renewal



EINBÖCK



Einböck GmbH
Schatzdorf 7
4751 Dorf an der Pram
Austria

+43 7764 6466 0
+43 7764 6466-390
info@einboeck.at

Technical changes and mistakes are subject to change without prior notice!

In order to introduce the benefits of our continuous product development, we reserve the right to make technical changes without prior notice. Printing and typesetting errors or changes of any kind do not entitle the customer to any claims. Individual equipment specifications, which are illustrated or described here, are only available as options.
In case of contradictions between individual documents regarding the scope of supply, the information in our current price list shall apply.

All pictures are symbol pictures and may contain options which are available for an additional charge. For further information please contact our sales team.

Photos & Graphics: © Einböck GmbH; Photos & Graphics free, without licence, but can be used only unchanged | Text & Content: © Einböck GmbH; can be used unchanged if source is cited | Version: 01/2022